

STATE OF OKLAHOMA DEPARTMENT OF MENTAL HEALTH AND SUBSTANCE ABUSE SERVICES

Companion Guide Specifications

Electronic Data Interface (EDI)

Robert Harper/David Melton

Creation Date 1/4/2013

Updated 7/24/2023

Document guide to uploading data to the PICIS system via Web Service.

Oklahoma PICIS CDC/PA EDI Requirements

Document Control

Change Record

Date	Author	Version	Change Reference
Jan 04 2013	Robert Harper	V1.01	Initial Creation
Mar 05 2013	Robert Harper/David Melton	V1.01a	Update Maiden name and suffix length
Mar 12 2013	Robert Harper	V1.01b	Modify Response Rejected Record, Accepted record tags
Mar 31 2013	Robert Harper	V1.01c	Change CDCkey tag to CDCKey. Remove space in INF tag in response XML example.
Jun 13 2013	Robert Harper	V1.01.d	Updated with Suffix in section 6.4 and suffix code in section 7.19. Added Alert tags below Screen Results
Apr 08 2014	David Melton	V1.01.e	Added Gambling Screen into screen loop as screen type 4 (pages 12 and 13)
July 02 2014	David Melton	V1.01.f	Changed Screening, now each screen will have it's own tag. Page 12 and 13 for spec, pages 23 and 24 for an example.
Oct 27 2014	David Melton	V1.01.g	Added PG058 and service focus 33 on pages 21 and 22
Feb 6 2015	David Melton	V1.01.h	Add <HHresponse>, pages 10 and 29
Mar 16 2015	David Melton		Adding 3.1.4 to explain editing process
Aug 28 2015	David Melton		Moved to ICD 10 format, removed unused fields. Added web service documentation. Updated XML examples.
June 30 2016	David Melton		Added email and traumascor fields, removed SSN, CurrentLOF, Medicaid, Medicare, CustodyDHS, CustodyOJA, and AdditionalInformation.
July 26 2016	David Melton		Added 71, 72, and 73 to education field, page 43
Aug 23 2018	Austin Ralstin		Added ACEscore field and changed veteran field input
July 21 2023	Robert Clark	V1.1	Removed Batch Upload, Added Harmful Intent Field, Normalized document to current standards

Oklahoma PICIS CDC/PA EDI Requirements

Table of Contents

Table of Contents

Document Control	1
Table of Contents	2
1. Description	3
2. Service Level Processing	4
2.1. Business rule processing, CDCPA data.....	4
3. Web Service Instructions	5
3.1 Test Service Location: https://ww4.odmhsas.org/ErrorListWebServiceTest/service.asmx.....	5
3.2 Sending CDC/PAs to ODMHSAS	5
3.3 Web Service Response.....	5
4. Web Service fields	7
5. APPENDIX A	12
5.1. CDC required sections based on Service Focus Table 6.2	12
5.2. CDCs triggering instant authorization	14
6. APPENDIX B	Error! Bookmark not defined.
6. Enumeration codes, CDC Record.....	14

Oklahoma PICIS CDC/PA EDI Requirements

1. Description

This document describes the requirements for adding Client Data Core (CDC) and associated Prior Authorization (PA) data files to the EDI format and process. Unless otherwise noted, CDC refers to CDC/PA records. Individual records will be submitted through our web services. Each record received by ODMHSAS will generate a response.

Records may be submitted at any time, except during scheduled maintenance downtime. Any record failing validation will be rejected and the originating agency will receive error codes in the response. The record can be corrected and returned to ODMHSAS. Successfully processed records are written to the OK PICIS database and a response containing PA Numbers and/or a CDCkey will be returned.

Oklahoma PICIS CDC/PA EDI Requirements

2. Service Level Processing

2.1. Business rule processing, CDCPA data

2.1.1. Transmission Type

- CDCOnly – records will be processed for CDC information. If the record meets instant authorization criteria (see table 5.2), the authorization will be created and sent in the response (assuming the record has no errors). If record does not meet instant authorization criteria, all fields inside the PA tag will be ignored, and if CDC requirements are met, will be written to the PICIS Database.
- CDCPA – records will process for CDC and PA information. If not enough information is found inside the PA tag, errors will be flagged and status written in the response

Oklahoma PICIS CDC/PA EDI Requirements

3. Web Service Instructions

3.1. Test Service Location: <https://ww4.odmhsas.org/ErrorListWebServiceTest/service.aspx>

3.2. Sending CDC/PAs to ODMHSAS

For the CDC/PA process you will be working under the “CDCPAErrors” mode.

The `_userid` and `_password` are the username and password for the vendor. The `_userid2` and `_password2` are the username and password for the provider. The `_mode` variable works like the PA mode variable but gives a little more functionality. The `_mode` should be one of the following: add, edit, or verify. The ‘add’ and ‘edit’ will process through error validation and write to the PICIS database if the record is correct. The ‘verify’ mode allows you to submit a record for error validation, and will not write to the PICIS database in any event. Important to note, if you do not give a value for this field (or you give an invalid value), ODMHSAS will code the `_mode` as ‘verify’. The `_updatedby` field is used as a way for vendors to send ODMHSAS the staff name of the person submitting from the vendor. This helps ODMHSAS track down problems for providers.

There are fields that are included that you do not need to pass to us. If the field is not located in the table in section 9, then you can ignore the field. Since the ftp process has several loops, there is not always a 1:1 ratio to fields (i.e. race).

Once authentication has passed, the record will process through field validation. If field validation is passed and the mode is “add” or “edit” then it will be written to the PICIS database and response will be sent back. If the record does not pass validation then an error table will be returned. If the mode is verify and all fields pass validation, a message will be returned: “Information Verified OK”

3.3. Web Service Response

The error table will have three columns: (1) `errcode` which is the error code assigned to the edit by ODMHSAS, (2) `errmsg` which is the error description, and (3) `errfld` which is the variable linked to the error.

errcode	errmsg	errfld
CDC90010	Transaction Date must be greater than previous Transaction Date	transdateMM
CDC90060	Only one 21 Contact per customer, per agency, per year is allowed	transtype
CDC90050	Invalid Transaction Type: Contact CDCs must be submitted outside of CDC episodes	transtype

Oklahoma PICIS CDC/PA EDI Requirements

The response for completed records will return the fields you can see below. It also returns errcode and errmsg, but those were for informational errors and while it was built in, has never been turned on so you can ignore those fields until further notice. For the web service response if the PA generated was an instant PA (table 5.2) then the PAstatus field will be changed to "Instant."

CDCkey	PGgroup	BegDate	EndDate	Units	Cost	PAnumber	Length1	Length2	PAlines	errcode	errmsg	PAstatus	PA_Originator_ID	HHresponse
3000500	PG047	2015-08-20 00:00:00.000	2016-02-19 00:00:00.000	0	3990.00	4513102219	month	6	6			saved	44922	Level 3 HH Adult(G9002)

Oklahoma PICIS CDC/PA EDI Requirements

4. Web Service fields

Web Service Field Name	Name Identifier	Notes	Values
<_userid>		Vendor User ID	
<_password>		Vendor Password	
<_userid2>		Provider User ID	
<_password2>		Provider Password	
<_mode>		Webservice Mode	Add, Edit, Verify
<_provideridloc>	<AgencySite>		10 digit provider ID
<_recipient_id>	<MemberID>	must have eligibility for transaction date	9 digit Medicaid ID
<_birthdate>	<DateOfBirth>		datetime
<_gender>	<Gender>		1 = Female, 2 = Male
<_transdate>	<TransactionDate>		datetime
<_transtime>	<TransactionTime>		24 hour clock, 4 characters
<_transtype>	<TransactionType>		Numeric (see codes in table)
<_servfocus>	<ServiceFocus>		Char(2) (see codes in table)
<_racewhite>	<Race>		1 = Yes, 2 = No
<_raceblack>	<Race>		1 = Yes, 2 = No
<_raceindian>	<Race>		1 = Yes, 2 = No
<_racehawaiian>	<Race>		1 = Yes, 2 = No
<_raceasian>	<Race>		1 = Yes, 2 = No
<_hispanlatino>	<Ethnicity>		1 = Yes, 2 = No
<_mhscreen>	<MHScreen>		1,2, or 3
<_sascreen>	<SAScreen>		1,2, or 3
<_traumascreen>	<TraumaScreen>		1,2, or 3
<_gamblingscreen>	<GamblingScreen>		1,2, or 3
<_traumaScore>	<traumaScore>		0-60 for kids, 0-80 for adults
<_Email>	<Email>		Valid email format, up to 55 char
<_alert>	<Alert>		open text field, up to 50 char
<_primref>	<Referrals>		Char(2) (see codes in table)

Oklahoma PICIS CDC/PA EDI Requirements

Web Service Field Name	Name Identifier	Notes	Values
<_primrefag>	<ReferralAgency>		10 digit NPI
<_secref>	<Referrals>		Char(2) (see codes in table)
<_secrefag>	<ReferralAgency>		10 digit NPI
<_countyes>	<County>		Char(2) (see codes in table)
<_zipcode>	<ZipCode>		numeric, up to 9 characters
<_famident>	<FamilyID >		alphanumeric, up to 10 characters
<_probprim>	<PresentingProblemRanking>		Numeric (see codes in table)
<_probsec>	<PresentingProblemRanking>		Numeric (see codes in table)
<_probert>	<PresentingProblemRanking>		Numeric (see codes in table)
<_lname>	<LastName>		alphanumeric, up to 50 characters
<_maiden>	<MaidenName>		alphanumeric, up to 50 characters
<_fname>	<FirstName>		alphanumeric, up to 50 characters
<_mi>	<MiddleName>		alphanumeric, up to 50 characters
<_suffix>	<NameSuffix>		Numeric (see codes in table)
<_address1>	<AddressLine1>		alphanumeric, up to 50 characters
<_address2>	<AddressLine2>		alphanumeric, up to 50 characters
<_city>	<City>		alphanumeric, up to 50 characters
<_state>	<State>		2 digit state code
<_residcur>	<CurrentResidence>		1 character, A-J
<_custodydoc>	<IncarcerationStatus>		Numeric (see codes in table)
<_livsitcur>	<LivingSituation>		Numeric (see codes in table)
<_chronichomeless>	<ChronicHomelessness>		1 = Yes, 2 = No
<_employcur>	<EmploymentStatus>		Numeric (see codes in table)
<_emptypecur>	<EmploymentType>		1 character, 1-6 or A-F
<_education>	<Education>		2 character, 00-25, 71, 71, or 73
<_inschool>	<InSchool>		1 = Yes, 2 = No
<_marital>	<MaritalStatus>		Numeric (see codes in table)
<_alertpreg>	<Pregnant>		1 = Yes, 2 = No
<_duedate>	<DueDate>		datetime

Oklahoma PICIS CDC/PA EDI Requirements

Web Service Field Name	Name Identifier	Notes	Values
<_income>	<Income>		Numeric, up to 6 characters
<_numlivho>	<Dependents>		Numeric, up to 2 characters
<_benssi>	<SSI>		1 = Yes, 2 = No
<_benssdi>	<SSDI>		1 = Yes, 2 = No
<_langpref>	<PreferredLanguage>		Numeric (see codes in table)
<_speakengl>	<English>		1 = Yes, 2 = No
<_disability1>	<Disability>		Char(2) (see codes in table)
<_disability2>	<Disability>		Char(2) (see codes in table)
<_disability3>	<Disability>		Char(2) (see codes in table)
<_disability4>	<Disability>		Char(2) (see codes in table)
<_veteran>	<MilitaryStatus>		alphanumeric; a-g; A-G; (see codes in table)
<_legalstat>	<LegalStatus>		Char(2) (see codes in table)
<_countycom>	<CommitmentCounty>		Char(2) (see codes in table)
<_cde_tobacco>	<TobaccoUse>		Char(2), 00-99
<_drugch1>	<DrugUsed>		Char(2) (see codes in table)
<_drugch2>	<DrugUsed>		Char(2) (see codes in table)
<_drugch3>	<DrugUsed>		Char(2) (see codes in table)
<_drugrte1>	<DrugMethod>		Numeric (see codes in table)
<_drugrte2>	<DrugMethod>		Numeric (see codes in table)
<_drugrte3>	<DrugMethod>		Numeric (see codes in table)
<_drugfreq1>	<DrugFreq>		Numeric (see codes in table)
<_drugfreq2>	<DrugFreq>		Numeric (see codes in table)
<_drugfreq3>	<DrugFreq>		Numeric (see codes in table)
<_drugage1>	<AgeFirstUsed>		Char(2), 00-99
<_drugage2>	<AgeFirstUsed>		Char(2), 00-99
<_drugage3>	<AgeFirstUsed>		Char(2), 00-99
<_sublevcare>	<LevelOfCare>		Char(2) (see codes in table)
<_carmood>	<Feeling>		Char(2), 01-50, 99
<_carthink>	<Thinking>		Char(2), 01-50, 99

Oklahoma PICIS CDC/PA EDI Requirements

Web Service Field Name	Name identifier	Notes	Values
<_carsubuse>	<SubstanceUse>		Char(2), 01-50, 99
<_carmed>	<Medical>		Char(2), 01-50, 99
<_carfam>	<Family>		Char(2), 01-50, 99
<_carintper>	<Interpersonal>		Char(2), 01-50, 99
<_carrole>	<Role>		Char(2), 01-50, 99
<_carsocleg>	<SocioLegal>		Char(2), 01-50, 99
<_carself>	<SelfCare>		Char(2), 01-50, 99
<_asimednew>	<MedicalStatus>		Numeric, 0-9
<_asiempnew>	<EmploymentStatus>		Numeric, 0-9
<_asialcnew>	<Alcohol>		Numeric, 0-9
<_asidrugnew>	<Drugs>		Numeric, 0-9
<_asilegalnew>	<LegalStatus>		Numeric, 0-9
<_asifamilynew>	<FamilyRelationships>		Numeric, 0-9
<_asipsychnew>	<PsychiatricStatus>		Numeric, 0-9
<_tasia>	<ChemicalUse>		Numeric, 0-4, 9
<_tasib>	<SchoolStatus>		Numeric, 0-4, 9
<_tasic>	<EmploymentStatus>		Numeric, 0-4, 9
<_tasid>	<Family>		Numeric, 0-4, 9
<_tasie>	<Peer>		Numeric, 0-4, 9
<_tasif>	<LegalStatus>		Numeric, 0-4, 9
<_tasig>	<Psychiatric>		Numeric, 0-4, 9
<_ace>	<ACEScore>		Char(2), 00-10/
<_smi>	<SMI>		1 = Yes, 2 = No
<_sed>	<SED>		1 = Yes, 2 = No
<_arrested30days>	<Arrests30>		Char(2), 00-99
<_arrested12months>	<Arrests12>		Char(2), 00-99
<_SHG_30Days>	<SelfHelp30>		Char(2), 00-99
<_clinician>	<ClinicianOfRecord>		Numeric, 10 digits
<_outofhome>	<Placement>		Numeric (see codes in table)

Oklahoma PICIS CDC/PA EDI Requirements

Web Service Field Name	Name Identifier	Notes	Values
<_NUM_RST_PLCMNT>	<RestrictivePlacement>		Char(2), 00-90
<_NUM_SELF_HARM>	<SelfHarm>		Char(2), 00-90
<_NUM_ABSENT_SCH>	<AbsentSchool>		Char(2), 00-66, 99
<_NUM_SUSP_SCH>	<SuspendedSchool>		Char(2), 00-66, 99
<_NUM_ABSENT_DC>	<AbsentDayCare>		Char(2), 00-66, 99
<_updatedby>		Staff Name at agency submitting record	alphanumeric, up to 50 characters
<_CDCRecordId>	<CDCKey>		Numeric
<_PG_group>	<PGgroup>		Char(2), see PA groups spreadsheet
<_PA_begdate>	<BegDate>		Char(8), YYYYMMDD
<_PA_SOGSGSI>	<SOGSGSI>		Numeric, 0-20
<_PA_Diag1Prim>	<Diag1Prim>		ICD 9 prior to 10/1/2015, ICD 10 after
<_PA_Diag1Sec>	<Diag1Sec>		ICD 9 prior to 10/1/2015, ICD 10 after
<_PA_Diag1Tert>	<Diag1Tert>		ICD 9 prior to 10/1/2015, ICD 10 after
<_PA_Diag2Prim>	<Diag2Prim>		ICD 9 prior to 10/1/2015, ICD 10 after
<_PA_Diag2Sec>	<Diag2Sec>		ICD 9 prior to 10/1/2015, ICD 10 after
<_PA_Diag3>	<Diag3>		open text field, up to 255 characters
<_PA_number>	<PAnumber>		Numeric, 10 digits
<_PA_file_type>	<FileType>	Not currently in use	
<_PA_transmissiontype>	<TransmissionType>		Numeric, 1 = CDCOnly, 3 = CDCPA
<_PA_mode>	<Mode>	Not needed for web service because	
<_PA_memo>	<Memo>	Not currently in use	
<_PA_originator_id>	<PAoriginatorID>		Alphanumeric, optional, up to 55 characters
<_Harm_Int>	<HarmfulIntent>	2 & 3 not allowed for children under the	Numeric, Required, 0-3

Oklahoma PICIS CDC/PA EDI Requirements

5. APPENDIX A

5.1. CDC required sections based on Service

Focus Table 5.1

ServiceFocus	Age restrictions ***	CAR ≥ 18	CAR < 18	ASI ≥ 18	T-ASI 12-17	OTHER
01 - Mental health		Reqd	Reqd	Optional	Optional	
02 – Substance abuse		Optional	Optional	Reqd	Reqd	
03 - Drug court		Optional	Optional	Reqd	n/a	
06 – Mental health & substance abuse		Reqd	Reqd	Reqd	Reqd	
09 - Special populations treatment units	Not allowed for customer < 16	Optional	Optional	Reqd	Not allowed for any age	Section III not allowed for any age
11 - Other		Optional	Optional	n/a	n/a	
12 - PACT	Not allowed for customer < 18	Reqd	n/a	Reqd if CAR domain 3 ≥ 30	n/a	
13 - Co-occurring (integrated)		Reqd	Reqd	Reqd	Reqd	
14 - Systems of Care (SoC)	Not allowed for customers ≥ 21	Reqd	Reqd	Optional	Optional	
15 - Mental health court	Not allowed for customers < 18	Reqd	n/a	Optional	n/a	
16 – ICC	Not allowed for customers < 18	Reqd	n/a	Optional	n/a	
17 - Mental health court/PACT	Not allowed for customers < 18	Reqd	n/a	Reqd if CAR domain 3 ≥ 30	n/a	
18 - ICC/MHC	Not allowed for customers < 18	Reqd	n/a	Optional	n/a	
19 - Gambling		EITHER CAR or ASI required	EITHER CAR or ASI required	EITHER CAR or ASI required	EITHER CAR or ASI required	SOGSGSI required
20 - Gambling/mental health		Reqd	Reqd	Optional	Optional	SOGSGSI required
21 - Gambling/substance abuse		Optional	Optional	Reqd	Reqd	SOGSGSI required

Oklahoma PICIS CDC/PA EDI Requirements

22 - RICCT team mental health	Not allowed for customers < 18	Reqd	n/a	Optional	n/a	
23 - Day school	Only allowed for customers ≥12 < 21	Optional	Optional	Reqd	Reqd	
24 - Medication Clinic		Required	Required	Optional	Optional	
25 - PATH	Not allowed for customers < 18	Required	n/a	Optional	n/a	
27 - Long-Term Inpatient		Required	Required	Optional	Optional	
30 - Non-ODMHSAS/OHCA funded		Optional	Optional	Optional	Optional	
31 – CALOCUS Testing	Not Allowed for customers ≥ 21	Optional	Optional	Optional	Optional	
32 – Urgent Recovery	Not allowed for customers < 18	Optional	n/a	Optional	n/a	
33 – Med Operation Assessment	Not Allowed for customers < 21	Optional	n/a	Optional	n/a	

***** Unless otherwise noted, T-ASI is not allowed for customers < 12 years**
Unless otherwise noted, SMI and ASI are not allowed for customers < 18 years
Unless otherwise noted, Section III is not allowed for customers ≥ 18 years
Unless otherwise noted, SED and T-ASI are not allowed for customers ≥ 18 years
Unless otherwise noted, Section III is required for customers < 18 years

Oklahoma PICIS CDC/PA EDI Requirements

5.2. CDCs triggering instant authorization

This table defines the triggers for a request to build on the back end of OKPICIS. None of these requests will be transmitted to ODMHSAS, only the CDC triggering the request. If the CDC does result in an instant authorization, the resulting authorization will be returned in the response file.

		LoC	N/A	CI	CL	HA	OO	SC	SN
Transaction type	ServiceFocus								
23, 40, or 42	01 - mental health			DH507	DH510	DH511		DH509	
23, 40, or 42	02 - substance abuse			DH507	DH506	DH511		DH509	DH505
23, 40, or 42	03 - drug court			DH507	DH506				
23, 40, or 42	06 - MH & SA			DH507	DH506	DH511		DH509	DH505
23, 40, or 42	09 - special populations						DH502		
23, 40, or 42	11 - other				DH510		DH503		
23, 40, or 42	13 - co-occurring			DH507	DH506	DH511		DH509	DH505
23, 40, or 42	23 - day school						DH508		
23, 40, or 42	24 - med clinic only						DH517		
23, 40, or 42	25 - PATH						DH520		
21, 40, or 42	26 - mobile crisis		PG059						
23, 40, or 42	27 - long-term inpatient					DH516			
23, 40, or 42	30 - non-DMH/OHCA funded	Will only be created for state-ops		DH504	DH504	DH504	DH504	DH504	DH504
27	31 – CALOCUS		PG013						
27, 40, or 42	32 – Urgent Care		PG051						
27	33 – Med Operation Assessment	Will only be created for individually contracted LBHPs	PG058						
21	All service focuses EXCEPT 26	For agencies only	PG038						
27	01 – Mental Health	Will only be created for individually contracted LBHPs	PG028/PG029 (based on InsureOK)						

Oklahoma PICIS CDC/PA EDI Requirements

6. Appendix B Enumeration Codes

6.1. Section I

6.1.1.<TransactionType>

Code	Enumeration value
21	Pre-Admission
23	Admission
27	First Contact/Testing Only
40	Level of care change
41	Information update
42	Treatment Extension/Outcome Update
60	Discharge – completed treatment
61	Discharge/completed court treatment
62	Discharge – left ACA – 90 days
63	Discharge – moved
64	Discharge – transferred to other facility
65	Discharge – incarcerated
66	Discharge – broke rules
67	Discharge – AWOL
68	Discharge – death
69	Discharge – failed to begin treatment
70	Discharge – treatment incompatibility
71	Discharge – medical
72	Discharge – related to parent's discharge

Oklahoma PICIS CDC/PA EDI Requirements

6.1.2.<ServiceFocus>

Leading zero is required

Code Enumeration value

- Mental health
 - Substance abuse
 - Drug court
- | | |
|----|-------------------------------------|
| 06 | Mental health & substance abuse |
| 09 | Special populations treatment units |
| 11 | Other |
| 12 | PACT |
| 13 | Co-occurring (integrated) |
| 14 | Systems of Care (SoC) |
| 15 | Mental health court |
| 16 | ICC |
| 17 | Mental health court/PACT |
| 18 | ICC/MHC |
| 19 | Gambling |
| 20 | Gambling/mental health |
| 21 | Gambling/substance abuse |
| 22 | RICCT team mental health |
| 23 | Day school |
| 24 | Med clinic only |
| 25 | PATH |
| 26 | Mobile crisis |
| 27 | Long-term inpatient |
| 30 | Non-ODMHSAS/OHCA funded |
| 31 | Calocus Testing |
| 32 | Urgent Recovery |
| 33 | Med Operation Assessment |
| 34 | Competency Treatment |

6.1.3.<Gender>

Leading zero is NOT required. This version of the gender codes is applicable for CDC records ONLY.

Code Enumeration value

- | | |
|---|--------|
| 1 | Female |
| 2 | Male |

Oklahoma PICIS CDC/PA EDI Requirements

6.1.4.<Referrals>

Leading zero is required

Code Enumeration value

1	Self
2	Significant other
3	School
4	Church/clergy
5	Group home
6	Employer, union
8	Non-psychiatric hospital
9	VA system
10	Indian Health Service
11	Department of Health
12	Department of Corrections
14	Department of Human Services
18	Nursing home
21	Private psychiatrist/mental health professional
22	Social Security
23	Attorney/Legal Aid
25	Law enforcement
26	Reach out hot-line/advertising media
28	Referral due to unscheduled discharge for 62 and 67
30	Shelter for homeless
31	Additional services recommended, referral not attainable
32	Court
33	Probation
34	Parole
35	Department of Public Safety
36	Active client – died (with 68 discharge only)
37	Private physician
38	HMO/MCO
39	Change in pay source
40	ODMHSAS or OHCA funded facility

Oklahoma PICIS CDC/PA EDI Requirements

41	Non-ODMHSAS/OHCA funded psychiatric hospital
42	Non-ODMHSAS/OHCA mental health center
43	Non-ODMHSAS/OHCA community agency
44	Non-ODMHSAS/OHCA residential care home
45	Non-ODMHSAS/OHCA alcohol/drug program
46	Non-ODMHSAS/OHCA domestic violence facility
47	Non-ODMHSAS/OHCA crisis/stabilization facility
48	Office of Juvenile Affairs
49	TANF/child welfare
50	Change in eligibility standards
51	Self help group (AA/NA/CA)
52	Parent/guardian
60	Moderate HH Opt In
61	High Intensity 4 HH Opt In
62	HH Opt Out
63	Adult Only Moderate HH Opt In
64	Adult Only High Intensity 4 HH Opt In
91	RESTX Referral: IV Drug User/Pregnant > 7 months
92	RESTX Referral: IV Drug User/Pregnant < 7 months
93	RESTX Referral: Pregnant > 7 months
94	RESTX Referral: Pregnant < 7 months
95	RESTX Referral: IV Drug User
96	RESTX Referral: Adult/Adolescent

6.1.5.<Suffix>

No Leading zero allowed

Code Enumeration value

1	Jr
2	Sr
3I	
4II	
5III	
6IV	

6.1.6.<HarmfulIntent>

No Leading zero allowed

Code Enumeration value

0	Not Applicable
1	Suicidal
2	Homicidal
3	Both

Oklahoma PICIS CDC/PA EDI Requirements

6.2. Section II

6.2.1.<CurrentResidence>

Code Enumeration value

A	Permanent housing
B	Permanent supported housing – non-congregate
C	Permanent supported housing – congregate
D	Transitional housing
E	Temporary housing
F	Residential care facility / group home
G	Nursing home
H	Institutional setting
I	Homeless – shelter
J	Homeless – on the street

Oklahoma PICIS CDC/PA EDI Requirements

6.2.2.<IncarcerationStatus>

Leading zero is NOT required

Code Enumeration value

- 1 Prison
- 2 No
- 3 Jail

6.2.3.<LivingSituation>

Leading zero is NOT required

Code Enumeration value

- 1 Alone
- 2 With family/relatives
- 3 With non-related persons

6.2.4.<EmploymentStatus>

Leading zero is NOT required

Code Enumeration value

- 1 Full-time
- 2 Part-time
- 3 Unemployed
- 4 Not in labor force

6.2.5.<EmploymentType>

Leading zero is NOT required

Code Enumeration value

- 1 Competitive
- 2 Supported
- 3 Volunteer
- 4 None
- 5 Transitional
- 6 Sheltered workshop
- A Homemaker
- B Student
- C Retired
- D Disabled
- E Inmate
- F Other

6.2.6.<MilitaryStatus>

Leading zero is NOT required

Code Enumeration value

Oklahoma PICIS CDC/PA EDI Requirements

- A Customer: Currently Active
- B Customer: Previously Active
- C Customer: National Guard/Reserve
- D Family Member: Currently Active
- E Family Member: Previously Active
- F Family Member: National Guard/Reserve
- G None

6.2.7.<MaritalStatus>

Leading zero is NOT required

Code Enumeration value

- 1 Never married
- 2 Married
- 3 Divorced
- 4 Widowed
- 5 Living as married
- 6 Separated

6.2.8.<PreferredLanguage>

Leading zero is NOT required

Code Enumeration value

- 0 English
- 1 Spanish
- 2 Native North American (specify)
- 3 German
- 4 French
- 5 Vietnamese
- 6 Chinese
- 7 Slavic (Russian, Polish, etc)
- 8 Sign Language
- 9 Other (specify)

6.2.9.<Disability>

Leading zero is required

Code Enumeration value

- 1 None
- 2 Semi-ambulatory
- 3 Non-ambulatory
- 4 Severe sight disability
- 5 Blind
- 05 Organic-based communication disability
- 7 Chronic health problem
- 8 Mental retardation/ development disability
- 9 Hard of hearing (must have code 11)

Oklahoma PICIS CDC/PA EDI Requirements

- 10 Deaf (must have code 11)
- 11 Interpreter for the deaf

6.2.10.<LegalStatus>

Leading zero is required

Code Enumeration value

- 01 Voluntary admission
- 03 Civil commitment
- 05 Not guilty by reason of insanity (NGR)
- 07 Juvenile court order
- 09 Court order for observation/evaluation
- 12 Emergency detention
- 13 Continued detention
- 15 Court referred
- 17 Protective custody
- 20 Criminal hold (CR-H)
- 21 Court commit with hold (CC-H)

6.2.11.<PresentingProblems>

Code Enumeration value

- 100 Other - non-mental health problem
- 110 Speech/hearing
- 120 Physical
- 130 Medical/somatic
- 210 Intellectual
- 220 Emotional
- 230 Social
- 240 Physical
- 311 Sexual incest - received medical treatment
- 312 Sexual incest - no medical treatment
- 314 History of sexual incest
- 321 Exploitation/neglect - received medical treatment
- 322 Exploitation/neglect - no medical treatment
- 331 Psychological - received medical treatment
- 332 Psychological - no medical treatment
- 341 Physical abuse- received medical treatment
- 342 Physical abuse - no medical treatment
- 344 History of physical abuse
- 351 Family/dependent of abuse victim - received medical treatment
- 352 Family/dependent of abuse victim - no medical treatment
- 361 Sexual assault by stranger - received medical treatment
- 362 Sexual assault by stranger - no medical treatment
- 364 History of sexual abuse

Oklahoma PICIS CDC/PA EDI Requirements

371	Sexual assault by acquaintance/intimate partner - received medical treatment
372	Sexual assault by acquaintance/intimate partner - no medical treatment
410	With family members
420	Outside immediate family
450	Social performance deficit
500	Emotional maladjustment/disturbance
501	Depression
502	Anxiety/panic
503	Eating disorder
510	Perceptual problems
520	Disorientation
530	Other psychotic symptoms
610	Homicidal
620	Assaultive
621	Domestic abuse perpetrator
630	Other
631	Involvement with criminal justice system
632	Runaway behavior
633	Attention Deficit/Hyperactivity Disorder
634	Oppositional Defiant Disorder
635	Posttraumatic Stress Disorder
650	Suicidal/self-abusive
710	Alcohol abuse
711	Alcohol dependency
720	Drug/other abuse
721	Drug/other dependency
730	Abuse of both alcohol & drug(s)
731	Dependency on both alcohol & drug(s)
741	At risk for relapse (alcohol)
742	At risk for relapse (drugs)
743	At risk for relapse (both)
745	Dependent child of an alcohol abuse client
746	Dependent child of a drug abuse client
747	Dependent child of both alcohol/drug abuse client
748	Co-dependent of an alcohol abuse client
749	Co-dependent of a drug abuse client
750	Co-dependent of both alcohol/drug abuse client
751	Family member or significant other of a SA client
760	Pathological gambling
761	Problem gambling
762	Relative of person with problem gambling

Oklahoma PICIS CDC/PA EDI Requirements

6.2.12.<DrugUsed>

Leading zero is required

Code	Enumeration value
1	None
2	Alcohol
3	Heroin
4	Non-Rx methadone
5	Other opiates & synthetics
6	Barbiturates
7	Other sedatives/hypnotics
8	Amphetamines
9	Cocaine
10	Marijuana/hashish
11	Other hallucinogens
12	Inhalants
13	Over-the-counter
14	Tranquilizers
15	PCP
16	Other
17	Unknown
18	Methamphetamine
19	Benzodiazepine
20	Other stimulants
21	Club drugs

6.2.13.<DrugMethod>

Leading zero is NOT required

Code	Enumeration value
1	Oral
2	Smoking
3	Inhalation
4	Injection
5	Other

6.2.14.<DrugsFreq>

Leading zero is NOT required

Code	Enumeration value
1	No use past month
2	1-3 times/month
3	1-2 times/week
4	3-6 times/week

Oklahoma PICIS CDC/PA EDI Requirements

5 Daily

6.2.15.<LevelOfCare>

Code	Enumeration value
CI	Residential treatment
CL	Community living
HA	Inpatient
OO	Outpatient
SC	Community-based structured crisis
SN	Detox

6.3. Section III

6.3.1.<Placement>

Leading zero is NOT required

Code	Enumeration value
1	Not in out-of-home treatment
2	Residential treatment
3	Specialized community group home
4	Foster home
5	Group home
7	Other